Google Scholar BETA

`"int 13" bios wait` | Search

Scholar

Results 1 - 8 of 8 for "int 13" bios wait with Safesearch on. (0.08 seconds)

Tip: Try removing quotes from your search to get more results.

[DOC] CBIS NetBIOS Programmer's Reference - group of 2 »
T Thompson - Norcross, GA: CBIS, 1988 - jalix.org
... that supplies a virtual floppy image and redirects INT 13. ... | 0 | 1 | COMMAND | Net
Bios command code. High order bit |. | Hex| | | set indicates no-wait mode. ...
Cited by 1 - Related Articles - View as HTML - Web Search

ATA FAQ-8 CHS Translation part 1 of 2–27 CHS Translation part 1 of 2–38 DOS Floppy Disk Boot ... - group of 2 »
MB Record - madchat.org
... sounds a little strange to you, just wait until you ... or 8 bits are available in the
INT 13 interface ... The SCSI host adapter BIOS converts this "fake" CHS address ...
View as HTML - Web Search

USER'S GUIDE - group of 4 »
A Ultra, H Adapter - download.adaptec.com
Page 1. U SER ' S G UIDE A DAPTEC U LTRA 320 SCSI C ARDS (39320A, 29320A, 29320ALP)
Page 2. ii Copyright © 2003 Adaptec, Inc. All rights reserved. ...
Related Articles - Web Search

中斷指令應用在病毒程式之研究
林金城，靳祥備，研究生 - cse.ttu.edu.tw
Page 1. I 中斷指令應用在病毒程式之研究 林金城副教授 靳祥備 研究生：
指導教授： 大同大學 資訊工程研究所 碩士論文 ...
Related Articles - View as HTML - Web Search

UL/CSA/VDE/TUV - group of 9 »
TUVR EN, FP Pending - maxtor.com
Page 1. /CZVQT& : 6 2TQFWEV /CPWCN 0QXGODGT Page 2. © November
1, 2001 Maxtor Corporation. All rights reserved. ...
Related Articles - View as HTML - Web Search

USER'S GUIDE - group of 18 »
EH Model - 1997 - support.ap.dell.com
... possible damage to the system board, wait five seconds ... Diskette
Drive B . . . . . 4-4 Fast Video BIOS . . ...
Cited by 3 - Related Articles - View as HTML - Web Search

[PS] Final Year Project An IBM PC Emulator
D Hedley - srnaug.fh-regensburg.de
... bios.c ... For example, the keyboard controller and interrupt controller wait for certain
inputs on their various pins, and then they might signal an Interrupt ...
View as HTML - Web Search

Aide–mémoire PC et MSDOS - group of 6 »
G Blanchet - tsi.enst.fr
... 21 I.2.1.3. Zone de communication BIOS..... 24 ... matériel
BIOS DOS programmes d'application ...
Related Articles - Web Search

`"int 13" bios wait` | Search

Google Home - About Google - About Google Scholar

Google Scholar BETA

| "int 13" bios wait | Search |

Scholar All articles Recent articles   Results **1 - 10** of about 56 for " <u>int</u> 13" <u>bios</u> with Safesearch on. (0.11 seconds)

All Results

J Kelly
G Slator
K Tipton
C Williams
K Bauer

[DOC] CBIS NetBIOS Programmer's Reference - group of 2 »
T Thompson - Norcross, GA: CBIS, 1988 - jalix.org
... number of names in the name table of the selected Net **Bios** (the. permanent node
name is not counted). ... that supplies a virtual floppy image and redirects **INT 13**. ...
Cited by 1 - Related Articles - View as HTML - Web Search

Kinetic Investigation of the Specificity of Porcine Brain Thyrotropin-releasing Hormone-degrading ... - group of 3 »
JA Kelly, GR Slator, KF Tipton, CH Williams, K ... - Journal of Biological Chemistry, 2000 - jbc.org
... Charli, JL, Cruz, C., Vargas, MA, and Joseph-Bravo, P. (1988) Neurochem. **Int. 13**,
237-242. 13. ... 239-248, **BIOS** Scientific Publishers Limited, Oxford, U. K. 14. ...
Cited by 17 - Related Articles - Web Search - BL Direct

RAID Implementation Methods - group of 5 »
R Alternatively - dell.com
... Driver-based RAID is suitable for boot volumes because a min- imal RAID engine is
implemented in the **BIOS (Int 13)** service, allow- ing seamless boot from a   ...
Related Articles - View as HTML - Web Search

Sensitive security points in PC microcomputers: understanding for building secure solutions to ...
D Guinier - ACM SIGSAC Review, 1992 - portal.acm.org
... OVL). **BIOS"** ROM primitives to insure compatibility between DOS and hardware
of various origins. ... 23 Page 7. **Int 13** h Int25 h Int26 h These   ...
Related Articles - Web Search

Large Disk HOWTO - group of 15 »
A Brouwer - URL: http://www. linuxdocs. org/HOWTOs/Large-Disk-HOWTO-5. ..., 2001 - jamsb.austms.org.au
... bytes (137 GB). This is not yet a problem (in 1999), but will be a few years
from now. **BIOS Int 13** - the 8.5 GB limit. At most 1024   ...
Cited by 1 - Related Articles - Cached - Web Search

Corresponding author
JA Kelly, GR Slator, KF Tipton, CH Williams, K ... - Journal of Biological Chemistry - jbc.org
... Neurochem. **Int. 13**, 237- 242. 13. ... Boustead, CM, Eds.), pp 239-248, **BIOS**
Scientific Publishers Limited, Oxford, UK. Page 23. 23 14. ...
Related Articles - Web Search

UL/CSA/VDE/TUV/WEEE/RoHS
TUVR EN - maxtor.com
Page 1. Maxtor ® DiamondMax 10 80/100/120/160/200/250/300GB Serial ATA May 2, 2005
Part Number: 000001914 Page 2. May 2, 2005, Maxtor Corporation. ...
Web Search

ATA FAQ-8 CHS Translation part 1 of 2–27 CHS Translation part 1 of 2–38 DOS Floppy Disk Boot ... - group of 2 »
MB Record - madchat.org
... **INT 13** interface. This fact has allowed the SCSI folks to support big drives by
increasing the number of heads above 16. The SCSI host adapter **BIOS** converts ...
View as HTML - Web Search

硬盘写保护方案
沈鑫剡， 伍红兵 - 微型机与应用, 2000 - 万方数据资源系统
... 直接修改INT 13的处理程序，使其具有硬盘分区写保护的功能。
因为不同的机型的BIOS代码差别较大 ...
Web Search

硬盘锁的研究与应用 - group of 2 »
郭小梅 - 南京农专学报, 1998 - 维普资讯
... 就是要拦截住所有对C盘的写操作。由于不论采用什么方式写硬盘，
都要通过BIOS的ＩＮＴ１３Ｈ中断调用 ...
Related Articles - Web Search

| "int 13" bios | Search |

Google Scholar BETA

| [int 13" bios wai_____] | Search | Advanced Scholar Search
Scholar Preferences
Scholar Help |

Scholar All articles Recent articles   Results 1 - 10 of about 56 for " Int 13" bios with Safesearch on. (0.11 seconds)

All Results

J Kelly
G Slator
K Tipton
C Williams
K Bauer

[DOC] CBIS NetBIOS Programmer's Reference - group of 2 »
T Thompson - Norcross, GA: CBIS, 1988 - jalix.org
... number of names in the name table of the selected Net Bios (the. permanent node
name is not counted). ... that supplies a virtual floppy image and redirects INT 13. ...
Cited by 1 - Related Articles - View as HTML - Web Search

Kinetic Investigation of the Specificity of Porcine Brain Thyrotropin-releasing Hormone-degrading ... - group of 3 »
JA Kelly, GR Slator, KF Tipton, CH Williams, K ... - Journal of Biological Chemistry, 2000 - jbc.org
... Charli, JL, Cruz, C., Vargas, MA, and Joseph-Bravo, P. (1988) Neurochem. **Int. 13**,
237-242. 13. ... 239-248, **BIOS** Scientific Publishers Limited, Oxford, U. K. 14. ...
Cited by 17 - Related Articles - Web Search - BL Direct

RAID Implementation Methods - group of 5 »
R Alternatively - dell.com
... Driver-based RAID is suitable for boot volumes because a min- imal RAID engine is
implemented in the **BIOS (Int 13)** service, allow- ing seamless boot from a   ...
Related Articles - View as HTML - Web Search

Sensitive security points in PC microcomputers: understanding for building secure solutions to ...
D Guinier - ACM SIGSAC Review, 1992 - portal.acm.org
... OVL). **BIOS**" ROM primitives to insure compatibility between DOS and hardware
of various origins. ... 23 Page 7. **Int 13** h Int25 h Int26 h These   ...
Related Articles - Web Search

Large Disk HOWTO - group of 15 »
A Brouwer - URL: http://www. linuxdocs. org/HOWTOs/Large-Disk-HOWTO-5. ..., 2001 - jamsb.austms.org.au
... bytes (137 GB). This is not yet a problem (in 1999), but will be a few years
from now. **BIOS Int 13** - the 8.5 GB limit. At most 1024   ...
Cited by 1 - Related Articles - Cached - Web Search

Corresponding author
JA Kelly, GR Slator, KF Tipton, CH Williams, K ... - Journal of Biological Chemistry - jbc.org
... Neurochem. **Int. 13**, 237- 242. 13. ... Boustead, CM, Eds.), pp 239-248,   **BIOS**
Scientific Publishers Limited, Oxford, UK. Page 23. 23 14. ...
Related Articles - Web Search

UL/CSA/VDE/TUV/WEEE/RoHS
TUVR EN - maxtor.com
Page 1. Maxtor ® DiamondMax 10 80/100/120/160/200/250/300GB Serial ATA May 2, 2005
Part Number: 000001914 Page 2. May 2, 2005, Maxtor Corporation. ...
Web Search

ATA FAQ-8 CHS Translation part 1 of 2–27 CHS Translation part 1 of 2–38 DOS Floppy Disk Boot ... - group of 2 »
MB Record - madchat.org
... **INT 13** interface. This fact has allowed the SCSI folks to support big drives by
increasing the number of heads above 16. The SCSI host adapter **BIOS** converts ...
View as HTML - Web Search

硬盘写保护方案
沈鑫剡， 伍红兵 - 微型机与应用, 2000 - 万方数据资源系统
... 直接修改**INT 13**的处理程序，使其具有硬盘分区写保护的功能。
因为不同的机型的**BIOS**代码差别较大 ...
Web Search

硬盘锁的研究与应用 - group of 2 »
郭小梅 - 南京农专学报, 1998 - 维普资讯
... 就是要拦截住所有对C盘的写操作。由于不论采用什么方式写硬盘，
都要通过ＢＩＯＳ的ＩＮＴ１３Ｈ中断调用 ...
Related Articles - Web Search

Goooooogle ▶

Result Page: 1 2 3 4 5 6 **Next**

[int 13" bios_____]   Search

Google Home - About Google - About Google Scholar

©2006 Google

Google Scholar BETA

| "int 13" pause bios | Search |

Scholar

Results 1 - 7 of 7 for " <u>int</u> 13" <u>pause</u> <u>bios</u> with Safesearch on. (0.11 seconds)

Tip: Try removing quotes from your search to get more results.

USER'S GUIDE - group of 4 »
A Ultra, H Adapter - download.adaptec.com
Page 1. U SER ' S G UIDE A DAPTEC U LTRA 320 SCSI C ARDS (39320A, 29320A, 29320ALP)
Page 2. ii Copyright © 2003 Adaptec, Inc. All rights reserved. ...
Related Articles - Web Search

ATA FAQ-8 CHS Translation part 1 of 2–27 CHS Translation part 1 of 2–38 DOS Floppy Disk Boot ... - group of 2 »
MB Record - madchat.org
... INT 13 interface. This fact has allowed the SCSI folks to support big drives by
increasing the number of heads above 16. The SCSI host adapter BIOS converts ...
View as HTML - Web Search

USER'S GUIDE - group of 18 »
EH Model - 1997 - support.ap.dell.com
... 4-4 Diskette Drive A and Diskette Drive B . . . . . 4-4 Fast Video BIOS . . . .
Cited by 3 - Related Articles - View as HTML - Web Search

[BOOK] Imagination and Chance: The Difference Between the Thought of Ricoeur and Derrida
L Lawlor - 1993 - books.google.com
Page 1. iMAGINATIONAND CH ANCE Th isOne IIIIII IfIhIIu Page 2. INTERSECTIONS:
Philosophy and Critical Theory Rodoiphe Gasche and Mark C. Taylor, Editors Page ...
Cited by 2 - Related Articles - Web Search - Library Search

[PS] Final Year Project An IBM PC Emulator
D Hedley - smaug.fh-regensburg.de
... 18 3.4.3. bios.c - The ROM BIOS ..... 19 3.4.3.1. ...
main.c bios.c cpu.c hardware.c debugger.c ...
View as HTML - Web Search

Wissenschaftliche Übersicht über Lactobacillus GG - group of 3 »
W Übersicht - emmi.ch
... Über die Fä- higkeiten der Bakterien, einen Beitrag zur Gesundheit zu leisten, also
probiotisch (griech.: pro bios = für das Leben, „das Leben fördernd ...
Related Articles - View as HTML - Web Search

Aide–mémoire PC et MSDOS - group of 6 »
G Blanchet - tsi.enst.fr
... 21 I.2.1.3. Zone de communication BIOS..... 24 ... matériel
BIOS DOS programmes d'application ...
Related Articles - Web Search

| "int 13" pause bios | Search |

Google Home - About Google - About Google Scholar

Google Scholar BETA

`"int 13" change subroutine`   Search

Advanced Scholar Search
Scholar Preferences
Scholar Help

Scholar All articles   Recent articles   Results 1 - 10 of about 20 for " int 13" change subroutine with Safesearch on. (0.16 seconds)

All Results

R Stata
M Abadi
L Henrio
P Ruoff
B Serpette

ALGORITHM 614 A FORTRAN SUBROUTINE FOR NUMERICAL INTEGRATION IN Hp
K SIKORSKI, F STENGER, J SCHWING - ACM Transactions on Mathematical Software, 1984 - portal.acm.org
... Therefore we first compute MACHEP and then change the input ... C THIS SUBROUTINE COMPUTES
INTEGRAL OF FUNCTIONS WHICH ... INT 127% INT 1280 INT 129@ INT 13%% INT 131 ...
Cited by 4 - Related Articles - Web Search

[PS] A parametrized polyvariant bytecode verifier - group of 5 »
L Henrio, B Serpette - Proceedings of JFLA, 2003 - jfla.inria.fr
... And the operational step describes how instructions change the internal state of
the ... v) possibility of multiple entries for a subroutine (vi) continuation ...
Cited by 6 - Related Articles - View as HTML - Web Search

[PS] Specification and Verification of Java Bytecode Subroutines and Exceptions (summary)
SN Freund, JC Mitchell - cs.williams.edu
... 1. subroutine calls and returns occur in a stack-like manner, with the exception
of multilevel returns, which are discussed below. ... call subroutine 7 return ...
Related Articles - View as HTML - Web Search

A type system for Java bytecode subroutines - group of 11 »
R Stata, M Abadi - ACM Transactions on Programming Languages and Systems (..., 1999 - portal.acm.org
... tines are polymorphic, and gives static approximations to the dynamic subroutine
call stack ... adds a new index for the new element but does not change the indices ...
Cited by 205 - Related Articles - Web Search - Library Search - BL Direct

[PS] User's Guide to a Boundary Element Package for Solving Integral Equations on Piecewise Smooth ... - group of 8 »
KE Atkinson - Reports on Computational Mathematics, 1998 - math.uiowa.edu
... 1.1.1 The structure of the triangulation process The triangulation is initiated
with a call to a subroutine INIT which is to be supplied by the user. ...
Cited by 4 - Related Articles - View as HTML - Web Search

Detailed computer modeling of a premixed laminar carbon monoxide/hydrogen flame - group of 3 »
JO Olsson, IBM Olsson - The Journal of Physical Chemistry, 1992 - pubs.acs.org
... (Int.) (13) Vandooren, J.; Balakhin, VP; Van Tiggelen, P. J. Arch. ... by Smooke and
colleague^^^-^ based on the CHEMKIN" and transport subroutine libraries.26 ...
Cited by 1 - Related Articles - Web Search

Specification - group of 12 »
D Version - 3 - emc.com.tw
... 8 level stacks for subroutine nesting ... This specification is subject to change without
further ... I/O pin ■ Default value at power-on reset INT 13 I ■ External ...
Cited by 4 - Related Articles - View as HTML - Web Search

[PS] Design and Implementation of OpenXM client server model and common mathematical object format (... - group of 4 »
M Noro, N Takayama - math.sci.kobe-u.ac.jp
... November 20, 1997 | November 17, 2000, August 27, 2001, January 20, 2002 (minor
change), SeechangeLog about changes after ... 2. Linking as a subroutine library. ...
Related Articles - View as HTML - Web Search

Optimal control of peritoneal dialysis - group of 2 »
P Zunino, D Maslalli - pos.sissa.it
... mass conservation principle, we end up with a system of M = 2m+2 ordinary differential
equa- tions that describe the rate of change of the unknowns V ...
Related Articles - View as HTML - Web Search

SRC Research Report 158 - group of 5 »
R Stata, M Abadi - digital.com
... tines are polymorphic, and gives static approximations to the dynamic subroutine
call stack ... adds a new index for the new element but does not change the indices ...
Related Articles - View as HTML - Web Search

Google ▶

Result Page: 1 2 **Next**

`"int 13" change subroutine`   Search

Google Home - About Google - About Google Scholar

Google Scholar BETA

`int 13" subroutine` | Search

Scholar All articles Recent articles   Results 1 - 10 of about 29 for " int 13" subroutine with Safesearch on. (0.13 seconds)

All Results

R Stata
M Abadi
S Owre
N Shankar
J Rushby

ALGORITHM 614 A FORTRAN SUBROUTINE FOR NUMERICAL INTEGRATION IN Hp
K SIKORSKI, F STENGER, J SCHWING - ACM Transactions on Mathematical Software, 1984 - portal.acm.org
... C THIS **SUBROUTINE** COMPUTES INTEGRAL OF FUNCTIONS WHICH ... INT 12%% INT 121% INT 122%
INT 123% INT 1240 INT 125 INT 126% INT 127% INT 1280 INT 129@ INT 13%% INT 131 ...
Cited by 4 - Related Articles - Web Search

A type system for Java bytecode subroutines - group of 11 »
R Stala, M Abadi - ACM Transactions on Programming Languages and Systems (..., 1999 - portal.acm.org
... This structured semantics has an explicit **subroutine** call stack for ensuring
that subroutines are called on a last-in, first-out basis. ...
Cited by 205 - Related Articles - Web Search - Library Search - BL Direct

[PS] User's Guide to a Boundary Element Package for Solving Integral Equations on Piecewise Smooth ... - group of 8 »
KE Atkinson - Reports on Computational Mathematics, 1998 - math.uiowa.edu
... 1.1.1 The structure of the triangulation process The triangulation is initiated
with a call to a **subroutine** INIT which is to be supplied by the user. ...
Cited by 4 - Related Articles - View as HTML - Web Search

SIMULATED VARIANCE OPTIMIZATION FOR ROBUST DESIGN
QRE Int - doi.wiley.com
... full control of the optimization procedure, a library pro- gram was not used but
a Simplex Search algorithm was written in the form of a **subroutine** SIMP.F ...
Related Articles - Web Search

[PS] A parametrized polyvariant bytecode verifier - group of 5 »
L Henrio, B Serpette - Proceedings of JFLA, 2003 - jfla.inria.fr
... In their work, subroutines can be used only in strict LIFO order and are not
polymorphic over manipulated locations: a **subroutine** that swaps the value of two ...
Cited by 6 - Related Articles - View as HTML - Web Search

[PS] Specification and Verification of Java Bytecode Subroutines and Exceptions (summary)
SN Freund, JC Mitchell - cs.williams.edu
... 1. **subroutine** calls and returns occur in a stack-like manner, with the exception
of multilevel returns, which are discussed below. ... call **subroutine** 7 return ...
Related Articles - View as HTML - Web Search

Changes in Foot Loading Following Plantar Fasciotomy: A Computer Modeling Study - group of 4 »
A Erdemir, SJ Piazza - Journal of Biomechanical Engineering, 2004 - link.aip.org
... Schittkowski, K., 1986, "NLPQL: A Fortran **Subroutine** Solving Constrained Nonlinear ...
Clinical Results and Biomechanical Evaluation," Foot Ankle Int., 13, pp. ...
Related Articles - Web Search - BL Direct

Some notes on tables to facilitate fitting SB curves - group of 2 »
NL JOHNSON, JO KITCHEN - Biometrika, 1971 - biomet.oxfordjournals.org
... r o (27r)-i[1 +exp{int(13»- 1 + l)}]-' J - e" 14 and so the first term in (1) is
negligible. ... This latter integral was evaluated using a standard **subroutine**. ...
Cited by 6 - Related Articles - Web Search

Detailed computer modeling of a premixed laminar carbon monoxide/hydrogen flame - group of 3 »
JO Olsson, IBM Olsson - The Journal of Physical Chemistry, 1992 - pubs.acs.org
... (Int.) (13) Vandooren, J.; Balakhin, VP; Van Tiggelen, P. J. Arch. ... by Smooke and
colleague^^^-^ based on the CHEMKIN" and transport **subroutine** libraries.26 ...
Cited by 1 - Related Articles - Web Search

SRC Research Report 158 - group of 5 »
R Stata, M Abadi - digital.com
... JVML has a **subroutine** construct which is used for the compilation of Java's try-
finally statement. ... Inside a **subroutine**, the type 4 Page 13. ...
Related Articles - View as HTML - Web Search

Gooogle ▶

Result Page: 1 2 3 **Next**

`int 13" subroutine` | Search

Google Scholar BETA

preboot execution environment　　Search

Scholar All articles　Recent articles

Results **1 - 10** of about 172 for preboot <u>execution environment</u>. (0.11 seconds)

All Results

B White

J Lepreau

L Stoller

R Ricci

S Guruprasad

PXE Manageability Technology for EFI - group of 7 »
M Henry - Intel Developer Update Magazine, October, 2000 - intel.co.jp
... Overview PXE (**Preboot Execution Environment**) is an existing open industry specification
for enterprise network clients to automatically download software ...
Cited by 3 - Related Articles - View as HTML - Web Search

An integrated experimental **environment** for distributed systems and networks - group of 7 »
B White, J Lepreau, L Stoller, R Ricci, S ... - ACM SIGOPS Operating Systems Review, 2002 - portal.acm.org
... and events can be reproduced in an emulated or wide-area **environment**. ... conditionals,
and arbitrary functions to drive experiment configuration and **execution**. ...
Cited by 249 - Related Articles - Web Search - BL Direct

[CITATION] **Preboot Execution Environment** (PXE) Specification
PXE Intel - Intel Corporation, 1999
Cited by 1 - Related Articles - Web Search

Disk cloning program 'dolly+'for system management of pc linux cluster
A Manabe - Computing in High Energy Physics and Nuclear Physics, 2001 - corvus.kek.jp
... Since Dolly+ is just an application running on Linux, to start it on the nodes,
PXE(**Preboot eXecution Environment**)[2] and kickstart are required. ...
Cited by 3 - Related Articles - View as HTML - Web Search

Automatic configuration and **execution** of Internet experiments on an actual node-based testbed - group of 3 »
T Miyachi, K Chinen, Y Shinoda - Testbeds and Research Infrastructures for the Development of ..., 2005 - ieeexplore.ieee.org
... This section describes the design of the system which supports the experiment
execution in the **environment** de- scribed until now. ...
Cited by 2 - Related Articles - Web Search

Enabling preOS desktop management - group of 3 »
T Cruz, P Simoes - Integrated Network Management, 2003. IFIP/IEEE Eighth ..., 2003 - ieeexplore.ieee.org
... to typical desktop management solutions whose **pre-boot** capabilities are non ... firmware
and standard extensions, including **Preboot Execution Environment** Boot ROM (P ...
Cited by 1 - Related Articles - Web Search

Rethinking Desktop Management
T Cruz, P Simões - Proceedings of APNOMS, 2002 - eden.dei.uc.pt
... The OpenDMS approach for **pre-boot** management relies in a ... extension, commonly known
as **Preboot eXecution** Enviroment (PXE ... which OS and which **environment** will be ...
Cited by 1 - Related Articles - View as HTML - Web Search

[CITATION] **Preboot Execution Environment** (PXE) Specification
M Henry, M Johnston - 1999 - September
Web Search

Network Working Group R. Droms Internet-Draft Cisco Systems Expires: October 10, 2003 April 11, 2003
UDO Codes - tools.ietf.org
... The following option codes are used in the "**Preboot Execution Environment** (PXE)
Specification, Version 2.1" [4]. However, none of these option codes have been ...
Related Articles - View as HTML - Web Search

Remote Hardware Management Framework for Cluster Computing Toolkit
D Inc - csm.oml.gov
... nodes in serial to facilitate **pre-boot execution environment** (PXE) [2 ... WfM incorporates
the following specifications: **Preboot eXecution Environment** (PXE), Wake ...
Related Articles - View as HTML - Web Search

Goooooooooogle ▶

Result Page:　**1** <u>2</u> <u>3</u> <u>4</u> <u>5</u> <u>6</u> <u>7</u> <u>8</u> <u>9</u> <u>10</u>　**Next**

preboot execution environment　　Search

Google Home - About Google - About Google Scholar

Google Scholar BETA

`"disk interrupt" bios`   Search

Scholar All articles Recent articles

Results 1 - 10 of about 16 for " **disk interrupt** **bios** with Safesearch on. (0.11 seconds)

Computer Viruses as Artificial Life - group of 57 »
EH Spafford - Artificial Life, 1994 - erik.prutser.cx
... By trapping the **BIOS disk interrupt**, a virus can intercept all **BIOS** disk activity,
including reads of boot sectors, or disguise disk accesses to infect as part ...
Cited by 30 - Related Articles - View as HTML - Web Search

[DOC] FlightLinux Project
E Testbed, PH Stakem - flightlinux.gsfc.nasa.gov
... 00055 *. 00056 * Do a **disk interrupt**. 00057 *. 00059 *. ... 00072 * Recover our DS
segment. 00075 We can now use the **bios** data table again *****. ...
Related Articles - View as HTML - Web Search

FlightLinux Project - group of 2 »
PH Stakem - flightlinux.gsfc.nasa.gov
... 00055 *. 00056 * Do a **disk interrupt**. 00057 *. 00059 *. ... 00072 * Recover our DS
segment. 00075 We can now use the **bios** data table again *****. ...
Related Articles - Cached - Web Search

PCI0646 Chip Specifications - group of 2 »
P Descriptions - hep.physics.lsa.umich.edu
... Signal Pin Type DIRQ1 75 I Function **Disk Interrupt** is an input to the PCI0646 used
to generate the IRQ14 output when the primary IDE channel is in legacy mode. ...
Related Articles - View as HTML - Web Search

ManyDisk Professional Virtual Hard Disk Manager
K Chen - innovexpo.itee.uq.edu.au
... The first limit is the 504MB limit. This is due to old PC **BIOS** only allowing ... The
second limit is due to the **disk interrupt** INT 13h and the FAT partition ...
Related Articles - View as HTML - Web Search

Device and Driver Management and Configuration
W Milwaukee, C Weedall - people.msoe.edu
... when working with the transfer from or to a **disk**. **Interrupt**-Driven I/O ... The adapter's
memory is mapped into system address space through the PCI **BIOS**, a ...
Related Articles - View as HTML - Web Search

Computer viruses and methods of combatting them - group of 2 »
GL Landsberg - Physics-Uspekhi, 1991 - turpion.org
... On IBM PC com- puters they are a part of **BIOS** (Basic Input-Output Sys- tem). There
are also software interrupts which are support- ed by any operating system. ...
Web Search

W 83637HF Data Sheet Revision History
PDV Web - marthel.pl
... 14. CONFIGURATION RE GISTER .....167 14.1 THE PNP ID OF THE W83637HF
CARD READER DEVICE(FOR **BIOS** PROGRAMMING USE ...
Related Articles - View as HTML - Web Search

LPC Super I/O with Hardware Monitoring Block - group of 6 »
SASK IR - smsc.com
... AMI Keyboard **BIOS** ROM 128 Pin QFP, 3.2mm footprint Package Page 2. SMSC DS – LPC47M192 ...
PART# PACKAGE KEYBOARD **BIOS** LPC47M192-NC 128 Pin QFP AMI Page 4. ...
Web Search

100 Pin Enhanced Super I/O for LPC Bus with SMBus Controller for Commercial Applications
FD Controller, MMP Port, T UART - smsc.com
... The "x" in the part number is a designator that changes depending upon
the particular **BIOS** used inside the specific chip. "2 ...
Related Articles - Web Search

Google ▶

Result Page: 1 2 **Next**

`"disk interrupt" bios`   Search

Google Scholar BETA

"disk interrupt" bios boot	Search	Advanced Scholar Search
		Scholar Preferences
		Scholar Help

Scholar All articles Recent articles   Results 1 - 10 of about 16 for " disk interrupt" bios boot with Safesearch on. (0.12 seconds)

All Results

E Spafford
P Stakem
S IR
F Controller
M Port

Computer Viruses as Artificial Life - group of 57 »
EH Spafford - Artificial Life, 1994 - erik.prutser.cx
... By trapping the **BIOS disk interrupt**, a virus can intercept all **BIOS** disk activity, including reads of **boot** sectors, or disguise disk accesses to infect as part ...
Cited by 30 - Related Articles - View as HTML - Web Search

ManyDisk Professional Virtual Hard Disk Manager
K Chen - innovexpo.itee.uq.edu.au
... s 5¼-inch bay that enables end users to **boot** from a ... This is due to old PC **BIOS** only allowing ... The second limit is due to the **disk interrupt** INT 13h and the FAT ...
Related Articles - View as HTML - Web Search

[DOC] FlightLinux Project
E Testbed, PH Stakem - flightlinux.gsfc.nasa.gov
... ld86 -0 -s -o **boot**/setup -M **boot**/setup.o > Setup.map. ... 00055 *. 00056 * Do a **disk interrupt**. 00057 *. ... 00075 We can now use the **bios** data table again *****. ...
Related Articles - View as HTML - Web Search

FlightLinux Project - group of 2 »
PH Stakem - flightlinux.gsfc.nasa.gov
... 00056 * Do a **disk interrupt**. 00057 *. ... 00075 We can now use the **bios** data table again ...
2 -nostdinc -I/home/swozny/elks/include -c -o **boot**/crt1.o **boot**/crt1.c. ...
Related Articles - Cached - Web Search

Device and Driver Management and Configuration
W Milwaukee, C Weedall - people.msoe.edu
... **Interrupt**-Driven I/O ... adapter's memory is mapped into system address space through the PCI **BIOS**, a software setup program, or by setting jumpers on the device. ...
Related Articles - View as HTML - Web Search

Computer viruses and methods of combatting them - group of 2 »
GI. Landsberg - Physics-Uspekhi, 1991 - turpion.org
... 4) infects theboot sector offloppy disks and the master **boot** sector of Winchester ... Of course, one cannot rule out the penetration of viruses into **BIOS**, but the ...
Web Search

PCI0646 Chip Specifications - group of 2 »
P Descriptions - hep.physics.lsa.umich.edu
... **Disk Interrupt** is an input to the PCI0646 used to generate the IRQ15 output when the secondary IDE channel is in ... ARTTIM0 Drive 0 Address Setup Register (RW) ...
Related Articles - View as HTML - Web Search

W 83637HF Data Sheet Revision History
PDV Web - marthel.pl
... 14. CONFIGURATION RE GISTER .....167 14.1 THE PNP ID OF THE W83637HF CARD READER DEVICE(FOR **BIOS** PROGRAMMING USE ...
Related Articles - View as HTML - Web Search

Technical Manual - group of 4 »
VG SpinPoint - vobis.de
Page 1. Technical Manual 3.5"Hard Disk Drives SpinPoint VG5 SV0322A SV0644A May, 1998 (Rev.A) Page 2. TABLE OF CONTENTS iii SPINPOINT VG5 PRODUCT MANUAL ...
Related Articles - View as HTML - Web Search

Technical Manual - group of 4 »
M No - vobis.de
Page 1. Technical Manual 3.5"Hard Disk Drives Model No : VG32163A VG34323A VG36483A May,1998(REV.2) Page 2. This product manual ...
Related Articles - View as HTML - Web Search

Google ▶
Result Page: 1 **2** **Next**

"disk interrupt" bios boot	Search

Google Home - About Google - About Google Scholar